

LOGOS

## **Classification**

A. Stackable Seminar chair

## A.1. Technical Data

- A.1.1. The frame of the chair is made of steel tube with a round cross-section of 16 mm diameter and 1,5 mm thickness, suitably bent and welded.
- A.1.2 The frame is chrome-plated. On the bottom there are 4 anti-skid gliders made of injection molded plastic.
- A.1.3. The seat and backrest of the chair are made of injection molded plastic (PP) and are clipped on the chair frame.
- A.1.4. The seat and backrest can optionally have upholstered cushions made of 20 mm thick expanded polyurethane foam, according to the corresponding DROMEAS brochures.
- A.1.5. There is the option to have armrests, made of chrome-plated round steel tube with 16 mm diameter and 1,5 mm thickness, on top of which lie arm-pads of medium-hardness polyurethane.
- A.1.6. There is the option to attach a writing tablet made of wood which is screwed on the armrest, either left or right.
- A.1.7. There is the option of a metal basket frame for documents, which is attached at the underside of the chair.
- A.1.8. Through special plastic connecting elements it is possible to connect chairs next to each other and form rows.
- A.1.9. Chairs with no armrests are stackable.



A.1.10 Dimensions

Width: 495 mm, Depth: 540 mm, Height: 750 mm

Packaging 1 piece in carton box Weight: 4,0 kg Volume: 0.24 m<sup>3</sup>

## **PRODUCT CERTIFICATES:**





Page 2 of 2